

P18051.P01

# UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

P18051

Total Pages

Inventor(s) or Application Identifier  
Yoshihiro IDA and Tatsuo BANDOTitle: SERVER APPARATUS AND INTERNET FACSIMILE  
APPARATUS AND COMMUNICATION TERMINAL  
CAPABILITY EXCHANGING METHOD

ADDRESS TO:

Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

## APPLICATION ELEMENTS

## ACCOMPANYING APPLICATION PARTS

1. ☒ Fee Transmittal Form  
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages 32]  
(preferred arrangement set forth below)
  - Descriptive title of the Invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
- ☒ Drawing(s) (35 USC 113) [Total Sheets 10]
- ☒ Oath or Declaration [Total Pages 3]
  - a. ☒ Newly executed (original or copy) ☐ Unexecuted
  - b. ☐ Copy from a prior application (37 CFR 1.63(d))  
(for continuation/divisional with Box 18 completed)  
[Note Box 5 below]
    - i. ☐ **DELETION OF INVENTOR(S)**  
Signed statement attached deleting inventor(s)  
named in the prior application, see 37 CFR 1.63(d)(2)  
and 1.33(b).
- ☐ Incorporation By Reference (useable if Box 4b is checked)  
The entire disclosure of the prior application, from which a copy  
of the oath or declaration is supplied under Box 4b, is considered  
as being part of the disclosure of the accompanying application  
and is hereby incorporated by reference therein.
- ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission  
(if applicable, all necessary)
  - a. ☐ Computer Readable Copy
  - b. ☐ Paper Copy (identical to computer copy)
  - c. ☐ Statement verifying identity of above copies

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citation
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application,  
Status still proper and desired
15. ☐ The prior application is assigned of record to \_\_\_\_\_
16. ☒ Foreign priority claimed
  - a. ☒ Claim of Priority
  - b. ☒ Certified Copy of Priority Document(s)
17. ☒ Other: Cover Letter Regarding Executed Application

18. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior Application No. \_\_\_\_\_/\_\_\_\_\_, filed \_\_\_\_\_.19. ☐ Amend the specification by inserting before the first line the sentence:

This application is a \_\_\_ continuation-in-part, \_\_\_ continuation, \_\_\_ division, of Application No. \_\_\_\_\_/\_\_\_\_\_, filed \_\_\_\_\_.

Address all future correspondence to **Customer No. 7055** at the present address of:GREENBLUM & BERNSTEIN, P.L.C.  
1941 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

Date

Signature

Bruce H. Bernstein, Reg No. 29,027  
Typed or Printed Name

P18051.A01

PATENT APPLICATION  
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Yoshihiro IDA et al.

Applications Branch

Appln. No. : Not yet assigned

Filed : Concurrently herewith

For : SERVER APPARATUS AND INTERNET FACSIMILE APPARATUS  
AND COMMUNICATION TERMINAL CAPABILITY  
EXCHANGING METHOD

**COVER LETTER REGARDING EXECUTED APPLICATION**

Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Sir:

The undersigned points out that the executed application being filed herewith includes pages 1 - 3 of the executed declaration which were forwarded to the undersigned by Applicants' Japanese representative on June 14 1999, and pages 1 - 32 of the specification (with Figures 1 - 13) which were earlier forwarded to the undersigned by Applicants' Japanese representative on June 4, 1999. Further, the undersigned has been advised by the Japanese representative that the inventors had reviewed the specification and drawings before signing the declaration.


Accordingly, Applicants respectfully submit that the present application is properly executed and should be considered as filed in executed form. However, if the U.S. Patent

P18051.A01

and Trademark Office determines that the present application is not properly executed,  
Applicants respectfully request that the present application be treated as an unexecuted  
application under 37 C.F.R. 1.53(f).

Should there be any questions regarding this paper, please contact the undersigned at  
the below listed number.

Respectfully submitted,  
Yoshihiro IDA et al.

 Reg. No. 33,329  
Bruce H. Bernstein  
Reg. No. 29,027

June 15, 1999  
GREENBLUM & BERNSTEIN, P.L.C.  
1941 Roland Clarke Place  
Reston, Virginia 20191  
(703) 716-1191

## SPECIFICATION

1. The first part of the specification is a list of the items to be specified. This list is usually a list of the items to be specified in the contract. The list is usually a list of the items to be specified in the contract.

SERVER APPARATUS AND INTERNET FACSIMILE APPARATUS AND  
COMMUNICATION TERMINAL CAPABILITY EXCHANGING METHOD

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates to a server apparatus  
for managing a capability of a communication terminal  
and an internet facsimile apparatus for registering a  
capability of the internet facsimile apparatus to the  
10 server apparatus, and further relates to a communication  
terminal capability exchanging method.

Description of the Related Art

In the traditional facsimile apparatus such as  
G3/G4 FAX, before data transmission is actually  
15 performed, namely, at the time of pre-procedure,  
capability information is mutually exchanged between a  
recipient facsimile apparatus and the traditional  
facsimile apparatus. Then, the condition of data  
transmission is adjusted to the capability in order to  
20 send an appropriate image to the recipient.

On the other hand, there is proposed the so-called  
internet FAX in which image data is attached to an E-mail  
and the E-mail is transmitted to the recipient through  
a network such as internet, LAN.

25 The above internet FAX transfers and receives  
various kinds of data as compared with the traditional  
facsimile apparatus. For example, the data can contain

a color image, an image having a different resolution, an image of various kinds of color spaces, etc. For this reason, in the internet FAX, it is predicted that the difference in capability between the respective  
5 apparatuses will become large as compared with the traditional facsimile apparatus.

However, since the internet FAX carries out data communication through the mail server, a direct communication with the recipient is not performed at the  
10 time of data communication. For this reason, unlike the traditional facsimile apparatus, capability exchange is not carried out.

There is a case in which a function of performing capability exchange in a point-to-point manner is  
15 provided to the internet FAX. However, in a case where the recipient is on the internet by a dial-up connection, a sender could not always access to the recipient. For this reason, there is a case in which capability exchange cannot be carried out.

20 Thus, in a case where no capability exchange can be carried out, there occurs necessity in which the apparatus having a high capability must convert the image quality to a low capability if there is a difference in the capability between the sender and the recipient.  
25 Moreover, since the recipient's capability is not sure, the image quality must be adjusted to the lowest quality.

Moreover, when the sender transmits data one-

sidedly, the recipient cannot output data if received data is one that the recipient cannot be dealt with.

Even if the sender finds out the recipient's capability and the sender performs data conversion  
5 processing to adjust to the recipient's capability, this applies an unnecessary load to the sender forcefully and causes an increase in cost.

#### SUMMARY OF THE INVENTION

A first object of the present invention is to  
10 provide a server apparatus, which is capable of exchanging capability between terminals without increasing a load applied to the terminals.

A second object of the present invention is to  
15 provide a server apparatus, which realizes data conversion suitable for a terminal.

A third object of the present invention is to  
provide an internet facsimile apparatus, which is capable of registering its capability to said server apparatus.

20 A fourth object of the present invention is to provide a communication terminal capability exchanging method, which is capable of exchanging capability between terminals without increasing a load applied to the terminals.

25 A fifth object of the present invention is to provide a communication terminal capability exchanging method, which realizes data conversion suitable for a

terminal.

The above object can be achieved by a server apparatus having: means for receiving a mail from a communication terminal; means for analyzing the received  
5 mail so as to extract capability information included in said mail; and capability information storing means for storing said capability information extracted by said extracting means to be made to correspond to communication terminal specific information specifying a communication  
10 terminal.

Also, the above object can be achieved by a server apparatus having: mail server means for receiving a mail from a communication terminal and transmitting the mail to the other communication terminal; and means for  
15 determining whether or not said mail includes capability information when receiving said mail, and extracting and storing said capability information when said mail includes capability information.

Further, the above object can be achieved by an  
20 internet facsimile apparatus having: means for scanning an original so as to obtain image data; means for converting said image data to a mail so as to transmit said mail over the internet or a local area network; and means for obtaining capability information of the  
25 internet facsimile apparatus, generating a capability information notification mail including said capability information, and transmitting said capability



information notification mail, thereby notifying said server apparatus of said capability information.

Also, the above object can be achieved by a method for exchanging capability of a communication terminal,  
5 contains: receiving a mail from a communication terminal; analyzing the received mail so as to extract capability information included in said mail; and storing said extracted capability information to be made to correspond to communication terminal specific information  
10 specifying a communication terminal.

Moreover, the above object can be achieved by a computer-readable storage medium storing a computer-executable program code therein, said program code having: means for instructing said computer to receive  
15 a mail from a communication terminal; means for instructing said computer to analyze said received mail and to extract capability information included in said mail; and means for instructing said computer to store said extracted capability information to be made to  
20 correspond to communication terminal specific information specifying a communication terminal.

Furthermore, the above object can be achieved by a computer-readable storage medium storing a computer-executable program code therein, said program code  
25 having: means for instructing said computer to recognize communication terminal specific information specifying a communication terminal of a recipient of a mail to which

an image file is attached; means for instructing said computer to obtain recipient's capability information corresponding to said communication terminal specific information from the content which said capability information storing means stores; and means for instructing said computer to determine whether or not said image file is suitable for said recipient's capability information so as to transfer said image file to the other server and register said image file when said image file is not suitable for said recipient's capability information.

According to the present invention, the network server receives capability information of the communication terminal through the E-mail, and registers capability information to correspond to the address of the communication terminal. This makes it possible to carry out the capability exchange between the communication terminals, which perform data exchange through the E-mail, such as an internet facsimile apparatus.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The above and other objects and features of the invention will appear more fully hereinafter from a consideration of the following description taken in connection with the accompanying drawing wherein one example is illustrated by way of example, in which;

FIG. 1 is a system conceptual view showing an

environment in which an internet mail server according to an embodiment of the present invention operates;

FIG. 2 is a hardware block diagram showing the mail server according to the embodiment of the present invention;

FIG. 3 is a block diagram showing basic functions of the mail server according to the embodiment of the present invention;

FIG. 4 is a capability block diagram showing a registration processing section of the mail server according to the embodiment of the present invention;

FIG. 5 is a functional block diagram showing a capability exchange processing section of the mail server according to the embodiment of the present invention;

FIG. 6 is a view showing one example of an electric mail (E-mail) in which an internet FAX transmits its capability information to the mail server according to the embodiment of the present invention;

FIG. 7 is a view showing one example of a capability information table of the mail server according to the embodiment of the present invention;

FIG. 8 is a block diagram showing the structure of the internet FAX according to the embodiment of the present invention;

FIG. 9 is a block diagram showing the function of the internet FAX according to the embodiment of the

present invention;

FIG. 10 is a process view showing data exchange between the mail server according to the embodiment of the present invention and the internet Fax;

5        FIG. 11 is a flowchart showing each process of a capability information registration of the mail server according to the embodiment of the present invention;

FIG. 12 is a flowchart showing each operation of capability exchanging of IFAX mail of the mail server  
10        according to the embodiment of the present invention;  
and

FIG. 13 is a flowchart showing each process of capability information update processing of the mail server according to the embodiment of the present  
15        invention;

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

An embodiment of the present invention will now be specifically explained with reference to the  
20        accompanying drawings.

FIG. 1 is a system conceptual view showing an environment in which an internet mail server according to an embodiment of the present invention operates.

A mail sever 1 according to the present invention  
25        is connected to the internet 2. A plurality of internet Faxes 1 to n for receiving and transmitting image data is connected to the internet 2. Each internet Fax 1 to

n is always connected to the internet 2 through LAN or a leased line or connected thereto by dialing up.

FIG. 2 is a hardware block diagram showing the mail server according to the embodiment of the present invention. A CPU 21 executes a program to carry out the control of the entire apparatus. A ROM 22 stores the program, which the CPU 21 executes. A RAM 23 is a memory for executing the program. A hard disk drive (HDD) 25 is an external storage apparatus for storing received E-mail or various kinds of tables. Also, a network control section 26 is an interface for executing procedures necessary for receiving and transmitting the e-mail over the internet 2.

FIG. 3 is a block diagram showing basic functions of the mail server according to the embodiment of the present invention. A mail communication section 31 receives and transmits E-mail with a communication terminal such as an internet FAX over the internet 2. A registration processing section 32 extracts capability information of internet FAX on a sender from E-mail received by the mail communication section 31, and registers extracted data to a capability information table 33.

A capability exchanging section 34 recognizes the quality of image data of the received E-mail, compares the recognized quality of image data with capability information of a recipient's internet FAX, and exchanges

image data based on the comparison result.

A mail server 35 carries out relay and management in connection with the receiving and transmitting E-mail, similar to the general mail server.

5        FIG. 4 is a capability block diagram showing a registration processing section of the mail server according to the embodiment of the present invention. A registration-necessary determining section (hereinafter referred to as RND) 41 analyzes the received  
10 E-mail, and determines whether or not registration of capability information is needed. More specifically, RND 41 compares a destination address with a registration address registered in a registration address table 42, and checks whether or not both agree with each other.  
15 Also, RND 41 checks whether or not there is a sender address, which is designated to [Form:] in a mail header, in the capability information table 33. Then, if the destination address agrees with the registration address and there is no sender address in the capability  
20 information table 33, RND 41 determines that registration of capability information is needed.

A capability information extracting section (hereinafter referred to as CIE) 43 extracts capability information included in the E-mail, and registers the  
25 extracted information to the capability information table 33.

FIG. 5 is a functional block diagram showing the

aforementioned capability exchanging section 34. A mail analyzing section 51 analyzes the received E-mail and obtains the destination address, which is designated to [TO:] in the mail header, and image file information  
5 such as a compressed format, resolution, color space parameter, etc of an image file attached to the received E-mail.

A recipient capability information obtaining section (hereinafter referred to as RCIG) 52 reads  
10 recipient capability information from the capability information table 33 based on the destination address.

A conversion-necessary determining section (hereinafter referred to as CDN) 53 compares image file information obtained from the E-mail with recipient  
15 capability information obtained by the RCIG 52, and determines whether or not conversion processing is needed.

A converting section 54 converts the attached file of the E-mail in accordance with recipient capability.  
20 For example, this data conversion includes compressed format conversion in which data compressed by a certain compression format is converted to data compressed by the other compression format, a reduction in resolution, color reduction processing.

25 In a case where the volume of the received E-mail is so large that the recipient's internet Fax cannot receive it, for example, a transmission/forwarding determining section

(hereinafter referred to as TFD) 55 determines whether the E-mail is forwarded to the other server or is transferred to the mail server 35 as it is.

A transferring section 56 carries out registration  
5 of the other arbitrary server and provides notification of an address of the server to the recipient.

FIG. 6 is a view showing one example of E-mail in which an internet FAX transmits its capability information to the mail server 1.

10 A registration address, <aaa@bbb.ccc.co.jp>, is described in the sender address [To:] of the mail header. Also, in a mail body portion, capability information of a file compression format, resolution and a color space are described in a format of text data. In connection  
15 with capability information, a new definition may be added to the mail header portion so as to be described therein.

FIG. 7 is a view showing one example of the capability information table 33. In the capability  
20 information table 33, capability information of the corresponding communication terminal is made to correspond to the address of the communication terminal and registered. Capability information includes the file compression format, resolution, and the color space  
25 parameter of the image file. Every time when a new communication terminal is registered, an address of the communication terminal is added to the capable



information table 33. It is possible to add or change the item of capability information as required.

FIG. 8 is a block diagram showing the structure of internet FAXes 1 to n that makes communications with the mail server according the embodiment. FIG. 9 is a block diagram showing the function of the internet FAXes 1 to n, which can be realized by executing a program.

A CPU 81 executes the program and controls the entire apparatus. A ROM 82 stores the program, which the CPU 81 executes.

A RAM 83 is a memory that executes the program and stores various kinds of data such as a mail, an image file.

A scanner 84 scans an original, and obtains image data. A printer 85 prints out received image data.

A compression/decompression section 86 compresses image data scanned by the scanner to an MH file and decompress compressed data received. A FAX section 87 receives and transmits data by facsimile communications, and carries out modulation and demodulation when data is received and transmitted over a public switched telephone network (PSTN) 88.

A network control section 89 is an interface for executing the process necessary for receiving and transmitting the mail over the internet 2.

A panel control section 90 has dial keys, and a touch panel, and is used in instruct operations such as a

designation of recipient, a designation of transmission start, etc. to the internet FAX.

In the above-structured internet Fax, image data scanned by the scanner 84 is compressed by the compression/decompression section 86 at a transmission starting time. Next, compressed imaged data is converted to a TIFF file by a TIFF converting section 91. In the TIFF file, one compressed data to one page is stored. Then, an E-mail generating section 92 generates an E-mail including TIFF file as an attached file. Namely, TIFF file is text coded so as to be put into a data section of a E-mail in accordance with such as MIME (Multipurpose internet Mail Extensions). Thereafter, the E-mail is sent to the mail server 1 through the network control section 89 shown in FIG. 8.

On the other hand, a mail receiving section 94 receives the E-mail is received from the mail server 1 at a receiving time. Next, the attached file portion of the received E-mail is converted to binary data i.e., TIFF file from the text code by a binary converting section 95. Thereafter, the TIFF file is opened by a TIFF opening section 96. The compression/decompression section 86 decompress the compressed data included in the TIFF file and sends the decompressed data to the printer 85. The printer 85 prints out image data received.

The aforementioned internet FAX comprises a capability information notification mail generating

section (hereinafter referred to as CINMG) 97. When power is turned on or in accordance with the user's operation, the CINMG 97 obtains its capability information and generates an E-mail including capability information (capability information notification mail, hereinafter referred to as CIN MAIL), and transmits CIN MAIL to a registration address. The capability information in the initial state and the registration address are stored in the ROM 82 at a factory shipping time. The operation is carried out by depressing such as function keys and switches of the operation panel 90 to which a capability information transmission is allocated.

Next, an operation of the above-structured mail server 1 will be explained. FIG. 10 is a process view showing data exchange between the mail server 1 and each of internet Faxe, FAXb, and FAXc. As shown in FIG. 10, for example, when internet FAXa is set, CIN MAIL is transmitted to the mail server 1 from each of internet Faxe, FAXb, and FAXc. The mail server 1 carries out the following capability registration processing. FIG. 11 is a flowchart showing each process of capability information registration of the mail server according to the embodiment.

When the mail server 1 receives an E-mail in Step (hereinafter referred to as ST) 1101, RND 41 of the registration processing section 32 checks whether or not

the destination address of the received E-mail conforms to the registration address in ST1102. When the destination address of the received E-mail does not conform to the registration address, the mail server 35 carries out normal mail distribution processing in ST1103, and the operation goes back to ST1101.

On the other hand, when the destination address of the received E-mail conforms to the registration address in ST1102, the CIE 43 analyzes the content of CIN MAIL, and extracts capability information in ST1104. Next, CIE 43 generates capability information constructing data (hereinafter referred to as CICD) based on extracted capability information. CICD is information of an image format that can be processed by each communication terminal. Then, in ST1105, CIE 43 registers CICD in the capability information table 43 to correspond to the sender address. After the registration, the operation goes back to ST1101 and waits for E-mail reception.

Next, the following will explain an operation of the mail server in transmitting facsimile data in an E-mail format (hereinafter referred to as IFAX mail) to the other internet FAX from one internet FAX. FIG. 12 is a flowchart showing each operation of capability exchanging of IFAX mail of the mail server 1 according to the embodiment.

In ST1201, the mail communication section 31 receives IFAX mail. In ST1202, the mail analyzing

section 51 shown in FIG.5 analyzes the mail header portion of IFAX mail, and obtains the destination address and the sender address. The mail analyzing section 51 also analyzes image file information of the image file  
5 attached to IFAX mail. In ST1203, the mail analyzing section 51 stores the obtained image file information to RAM 3.

Next, in ST1204, RCIG 52 checks whether or not there is the obtained designation address in the capability  
10 information table 33. When there is no designation address in the capability information table 33 in ST1204, the operation moves to a mail distribution by the mail server 35 in ST1205, and processing is ended.

On the other hand, when there is the designation  
15 address in the capability information table 33 in ST1204, CND 53 compares the capability of the recipient's internet FAX registered with image file information of IFAX mail in ST1206. Next, in ST1207, CND 53 checks whether or not both are the same as each other, that is,  
20 the recipient's internet FAX can deal with the image file attached to IFAX mail.

When both are not the same in ST1207, the converting section 54 performs data conversion in ST1208, and the operation moves to ST1209. Specifically, coded image  
25 data is once converted to raw data, and raw data is coded in a predetermined coding format which is different from the original code image data. A more detailed

explanation will be given. For example, a case of conversion of TIFF file data having MH data to TIFF file having JPEG data will be explained. A TIFF file is received, the file header portion of the TIFF file and  
 5 an IFD (Information Filed Directory) portion are removed therefrom, and MH data, which are image data, are fetched. The MH data are converted to raw data. The raw data are converted to JPEG files. Thereafter, the file header portion and the IFD portion are added obtain to  
 10 the JPEG files so as to generate a TIFF file. At this time, the fact that image data are converted to the JPEG files is registered in coding information of image data included in the IDF portion.

On the other hand, when both are the same in ST1207,  
 15 the operation goes to ST1209. In ST1210, TFD 55 checks the volume of the unconverted IFAX mail and that of the converted IFAX mail. Then, in ST1210, TFD 55 checks whether or not the volume of IFAX mail is more than a default value.

20 In ST 1210, when the volume of IFAX mail is smaller than the default value, the operation moves to the mail distribution by the mail server 35 in ST1211, and processing is ended.

On the other hand, when the volume of IFAX mail is  
 25 more than the default value in ST1210, the transferring section 56 transfers data of IFAX mail to the other arbitrary server and registers data in ST1212. Also, in

ST1213, the transferring section 56 transmits an E-mail, which includes the fact that data of IFAX mail has been transferred and an URL address of a destination server, to the recipient. After the transmission, processing is ended.

Next, the following will explain the processing of updating capability information when capability is improved such as addition of a function expansion board in internet FAX. FIG. 13 is a flowchart showing each process of capability information update processing of the mail server according to the embodiment.

In ST1301, when the mail server 1 receives an E-mail, RND 41 of the registration processing section 32 checks whether or not the destination address of the received E-mail conforms to the registration address in ST1302. When the destination address of the received E-mail does not conform to the registration address, the mail server 35 carries out normal mail distribution processing in ST1303, and the operation goes back to ST1301.

On the other hand, when the destination address of the received E-mail conforms to the registration address in ST1302, CIE 43 analyzes the content of CIN MAIL, and extracts capability information in ST1304. Next, CIE 43 generates CICD based on extracted capability information.

Next, in ST1305, RND 41 checks whether or not capability information of the sender address has been

registered. If the capability information of the sender address has been registered, old capability information is updated to new capability information in ST1306. Next, in ST1307, an E-mail is transmitted to the sender address  
5 to notify that capability information has been updated, and the operation goes back to ST1301.

While, if the capability information of the sender address has been registered, capability information is registered in the capability information table 33 in  
10 accordance with the same procedure as the capability information registration shown in FIG. 11 and the operation goes back to ST1301.

In the analysis of the content of the mail shown in ST1104 of FIG. 11 and ST1304 of FIG. 13, if no  
15 capability information is included in the E-mail, it is possible to transmit an error mail to the sender.

As explained above, the mail server 1 according to the embodiment receives CIN MAIL from the internet FAX, and extracts capability information from CIN MAIL. Next,  
20 the sender address and extracted capability information are made to correspond to each other and the resultant is registered in the capability table 33. This makes it possible to obtain the capability of the internet FAX from the capability information table 33 based on the  
25 mail address.

The mail server 1 obtains recipient capability information of the E-mail from the capability



information table 33 when receiving the E-mail. Then, the image file attached to the E-mail is expanded using the recipient's internet FAX to check whether or not the image file can be output. If the image file can be output, the E-mail is distributed as it is. If the image file cannot be output, the image file is converted to be appropriate to the recipient capability, thereafter the E-mail is distributed. As a result, the recipient expands the image file attached to the E-mail and outputs the image file without fail. By converting the image file to be appropriate to the recipient capability, the image, which the recipient's internet FAX can handle and which has the highest quality, can be obtained. Moreover, since it is unnecessary for the sender to carry out the file conversion, there is no possibility that an unnecessary load is applied onto the sender's internet FAX.

As explained above, when the image file conversion is carried out, the increase in the volume of the image file after conversion is forecast. However, the mail server 1 checks the volume of E-mail after the image file conversion. Then, when the volume of IFAX mail is more than the default value and the recipient's internet FAX cannot carry out the reception, the E-mail is transferred to the other server and a notification of the URL address of the other server is provided to the recipient. The recipient accesses the other server, browses or downloads

the content of E-mail. This makes it possible to surely transmit the content of E-mail to the recipient when the image file is converted.

In the above-explained embodiment, the image  
5 conversion processing was carried out when the image file is not appropriate for the recipient capability. However, it is possible to transfer the E-mail to the other server without carrying out the image conversion and provide the notification of the URL address of the other server to  
10 the recipient.

Also, the mail server 1 updates old capability information is updated to new capability information when receiving capability information notification mail from the registered internet FAX. This makes it possible to  
15 store the latest capability information of internet FAX in the registration information table 33. Since the E-mail that notifies that capability information has been updated is transmitted to the sender's internet FAX, the sender can confirm the completion of update.

Moreover, the mail server 1 can determine whether  
20 the received E-mail should be distributed or the capability information registration should be carried out based on the recipient address of the E-mail. For this reason, the mail server function and the capability  
25 information registration function can be realized by one server, thereby resulting in the cost reduction of the network facilities. It is, of course, possible to

provide the mail server and the server for capability information registration, separately.

On the other hand, the aforementioned internet FAX acquires the its capability information, generates the  
5 capability information notification mail automatically, and transmits the mail to the registration address. This makes it possible to easily transmit capability information to the network server apparatus, which carries out capability information management.

10 The present invention is not limited to the above-explained embodiment. For example, the mail server 1 referred to the capability information table 33 which the mail server 1 itself held. However, it is possible for the other internet FAX to refer to the  
15 capability information table 33 from the outer section. In this case, the sender's internet FAX can know the capability of the recipient internet FAX even in a state that the sender's internet FAX is not connected to the internet 2.

20 Moreover, in the above-explained embodiment, the mail server 1 registered the recipient mail address in the capability information table 33 to correspond to capability information. However, other than the recipient address, communication terminal specific  
25 information such as a mail address, which is allocated to the communication terminal, an ID number, a telephone number, a name, URL (Uniform Resource Locator) or an IP

address can be considered. Further, in the  
aforementioned embodiment, the facsimile apparatus was  
explained as a communication terminal. However, the  
scope of the present invention includes the other image  
5 communication apparatus. For example, the present  
invention includes a PC to which a LAN card or a modem  
is connected to perform data exchange over the internet.  
The scanner or the printer can be connected to the PC  
through an outer section I/F. The present invention also  
10 includes a network scanner having a network communication  
interface, and a network copy machine. Moreover, the  
present invention includes an multi function printer  
apparatus comprising a scanner, a printer, a copy  
machine, a facsimile apparatus, etc.

15 Furthermore, the present invention includes a  
computer-readable storage medium having a program code  
causing a computer to execute the same processing as that  
of the facsimile apparatus according to the  
aforementioned embodiment.

20 The present invention is not limited to the above  
described embodiments, and various variations and  
modifications may be possible without departing from the  
scope of the present invention.

This application is based on the Japanese Patent  
25 Application No.HEI 11-15760 filed on January 25, 1999,  
entire content of which is expressly incorporated by  
reference herein.

What is claimed is:

1. A server apparatus comprising:

means for receiving a mail from a communication terminal;

5 means for analyzing the received mail so as to extract capability information included in said mail; and

capability information storing means for storing said capability information extracted by said extracting means to be made to correspond to communication terminal specific information specifying a communication terminal.

2. The apparatus according to claim 1, wherein said communication terminal specific information a mail address, which is allocated to the communication terminal, is an ID number, a telephone number, a name, URL or an IP address.

3. The apparatus according to claim 1, further comprising:

means for recognizing communication terminal specific information specifying the communication terminal of a recipient of a mail to which an image file is attached so as to obtain recipient's capability information corresponding to said communication terminal specific information from the content which said capability information storing means stores; and

converting means for converting said image file to an image file suitable for said recipient's capability

information.

4. The apparatus according to claim 1, further comprising means for transferring data to the other server so as to register data when the volume of the image  
5 file converted by said converting means is more than a default value.

5. The apparatus according to claim 3, further comprising means for transmitting a mail notifying that data has been transferred to the other data to the  
10 recipient of the mail to which the image file is attached so as to notify the transfer result.

6. The apparatus according to claim 1, further comprising:

means for recognizing communication terminal  
15 specific information specifying the communication terminal of a recipient of a mail to which an image file is attached so as to obtain recipient's capability information corresponding to said communication terminal specific information from the content which said  
20 capability information storing means stores; and

means for determining whether or not said image file is suitable for said recipient's capability information so as to transfer said image file to the other server and register said image file when said image file is not  
25 suitable for said recipient's capability information.

7. The apparatus according to claim 6, further comprising means for transmitting a mail notifying that

data has been transferred to the other data to the recipient of the mail to which the image file is attached so as to notify the transfer result.

8. The apparatus according to claim 1, further  
5 Comprising means for updating the content, which said capability information storing means stores, to newly obtained capability information when said capability information storing means receives the mail including capability information of the communication terminal  
10 which has already stored capability information.

9. The apparatus according to claim 1, wherein said capability information storing means is a table for storing capability information to be made to correspond to communication terminal specific information.

15 10. A server apparatus comprising:

mail server means for receiving a mail from a communication terminal and transmitting the mail to the other communication terminal; and

means for determining whether or not said mail  
20 includes capability information when receiving said mail, and extracting and storing said capability information when said mail includes capability information.

11. An internet facsimile apparatus comprising:

means for scanning an original so as to obtain image  
25 data;

means for converting said image data to a mail so as to transmit said mail over the internet or a local area

network; and

means for obtaining capability information of the internet facsimile, generating a capability information notification mail including said capability information, and transmitting said capability information notification mail, thereby notifying said server apparatus of said capability information.

12. The apparatus according to claim 11, wherein said capability information notification mail generating and transmitting means generates a capability information notification mail when power is turned on.

13. The apparatus according to claim 11, wherein said capability information notification mail generating and transmitting means generates a capability information transmitting mail in accordance with an operator's instruction.

14. A method for exchanging capability of a communication terminal, comprising the steps of:

receiving a mail from a communication terminal; analyzing the received mail so as to extract capability information included in said mail; and

storing said extracted capability information to be made to correspond to communication terminal specific information specifying a communication terminal.

15. The method according to claim 14, wherein said communication terminal specific information is a mail address, which is allocated to the communication terminal,



an ID number, a telephone number, a name, URL or an IP address.

16. The method according to claim 14, further comprising the steps of:

5        recognizing communication terminal specific information specifying the communication terminal of a recipient of a mail to which an image file is attached; obtaining recipient's capability information corresponding to said communication terminal specific  
10        information from the content which said capability information storing means stores; and

converting said image file to an image file suitable for said recipient's capability information.

17. The method according to claim 14, further  
15        comprising the step of transferring data to the other server so as to register data when the volume of the image file converted by said converting means is more than a default value.

18. The method according to claim 14, further  
20        comprising the step of transmitting a mail notifying that data has been transferred to the other data to the recipient of the mail to which the image file is attached so as to notify the transfer result.

19. The method according to claim 14, further  
25        comprising the steps of:  
recognizing communication terminal specific information specifying the communication terminal of a recipient of

a mail to which an image file is attached;

obtaining recipient's capability information  
corresponding to said communication terminal specific  
information from the content which said capability  
5 information storing means stores; and

determining whether or not said image file is  
suitable for said recipient's capability information so  
as to transfer said image file to the other server and  
register said image file when said image file is not  
10 suitable for said recipient's capability information.

20. The method according to claim 19, further  
comprising the step of transmitting a mail notifying that  
data has been transferred to the other data to the  
recipient of the mail to which the image file is attached  
15 so as to notify the transfer result.

21. The method according to claim 14, further  
comprising the step of updating the content, which said  
capability information storing means stores, to newly  
obtained capability information when said capability  
20 information storing means receives the mail including  
capability information of the communication terminal  
which has already stored capability information.

22. A computer-readable storage medium storing a  
computer-executable program code therein, said program  
25 code comprising:

means for instructing said computer to receive a  
mail from a communication terminal;

means for instructing said computer to analyze said received mail and to extract capability information included in said mail; and

means for instructing said computer to store said  
5 extracted capability information to be made to correspond to communication terminal specific information specifying a communication terminal.

23. A computer-readable storage medium storing a computer-executable program code therein, said program  
10 code comprising:

means for instructing said computer to recognize communication terminal specific information specifying a communication terminal of a recipient of a mail to which an image file is attached;

15 means for instructing said computer to obtain recipient's capability information corresponding to said communication terminal specific information from the content which said capability information storing means stores; and

20 means for instructing said computer to determine whether or not said image file is suitable for said recipient's capability information so as to transfer said image file to the other server and register said image file when said image file is not suitable for said  
25 recipient's capability information.

## ABSTRACT OF THE DISCLOSURE

In a server apparatus, a registration processing section analyzes a capability information transmission mail received by an E-mail communication section, and  
5 extracts capability information. Next, a sender's address and capability information are made to correspond to each other so to be stored in a capability information table. When a normal E-mail is received, designation  
10 capability information, which has been made to correspond to the recipient address, is obtained from the capability information table, and an image file which is attached to the received E-mail is converted to an image file to be suitable for designation capability information. This makes it possible to control a load applied onto  
15 internet facsimile apparatuses and to exchange capability between the internet facsimile apparatuses.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

Message-Id:<2643C7C9AF86D211A26C0000F8011BF90EAC8F@LHH198>

From:<aaa@bb.ccc.co.jp>

To:"ddd@eee.fff.ggg.co.jp"

Subject:XXX

Date:Wed, 23 Dec 1998 11:10:37+0900

Mime-Version:1.0

X-Mailer:Internet Mail Service (5.5.2232.9)

Content-Type:text/plain:

charset="iso-2022-jp"

COMPRESSION SYSTEM:JPEG, TFF

RESOLUTION:200

COLOR SPACE PARAMATOR:10

FIG. 6



33

COMMUNICATION TERMINAL ADDRESS	COMPRESSION FORMAT	RESOLUTION	COLOR SPACE PARAMETER
A	JPEG, TIFF	200	10
B	TFF	200	13

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

# Declaration and Power of Attorney For Utility or Design Patent Application

## 特許出願宣言書

### Japanese Language Declaration

私は、下欄に氏名を記載した発明者として、以下のとおり  
宣言する:

私の住所、郵便の宛先および国籍は、下欄に氏名に続いて記載したとおり  
であり、

名称の発明に関し、請求の範囲に記載した特許を求める主題の本来の、  
最初にして唯一の発明者である(一人の氏名のみが下欄に記載されている  
場合)か、もしくは本来の、最初にして共同の発明者である(複数の氏名が  
下欄に記載されている場合)と信じ、

この明細書を

該当するほうに印を付す)

☐ここに添付する。

☐ 日に 出願番号

第 号として提出し、

日に補正した。

(該当する場合)

私は、前期のとおり補正した請求の範囲を含む前記明細書の内容を検討  
し、理解したことを陳述する。

私は、連邦規則法典第37部第1章第56条に従い、本題の審査に所要の  
情報を開示すべき義務を有することを認める。

私は合衆国法典第35部第119条(a-d)項又は第365条(b)項に基づき、下  
記の外国特許出願又は発明者証出願、或いは第365条(a)項に基づき、少な  
くとも米国以外の1ヶ国を指名したPCT国際出願の外国優先権利益を主張  
し、更に優先権の主張に係わる基礎出願の出願日前の出願日を有する外国  
特許出願、又は発明者証出願或いはPCT国際出願を以下に明記する:

Prior foreign applications  
先の外国出願

JP 11-15760	JAPAN	25/January/1999
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願の年月日)
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願の年月日)
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願の年月日)

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated  
below next to my name.

I believe I am the original, first and sole inventor (if only one name is  
listed below) or an original, first and joint inventor (if plural names  
are listed below ) of the subject matter which is claimed and for  
which a patent is sought on the invention entitled

SERVER APPARATUS AND INTERNET FACSIMILE

APPARATUS AND COMMUNICATION TERMINAL

CAPABILITY EXCHANGING METHOD

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as

Application No. \_\_\_\_\_

and was amended on \_\_\_\_\_

(if applicable)

I hereby state that I have reviewed and understand the contents of  
the above identified specification, including the claims, as amended  
by any amendment referred to above.

I acknowledge the duty to disclose information which is material to  
the examination of this application in accordance with Title 37, Code  
of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States  
Code §119(a-d) or §365(b) of any foreign application(s) for patent  
or inventor's certificate, or §365(a) of any PCT international  
application which designated at least one country other than the  
United States of America, listed below and have also identified  
below, by checking the "No" box, any foreign application for patent  
or inventor's certificate, or of any PCT international application having  
a filing date before that of the application on which priority is claimed:

Priority claimed  
優先権の主張

☒ ☐

Yes No  
あり なし

☐ ☐

Yes No  
あり なし

☐ ☐

Yes No  
あり なし

## Japanese Language Utility or Design Patent Application Declaration

☐ その他の外国特許出願番号は別紙の追補優先権欄にて記載する。

☐ Additional foreign application numbers are listed on a supplemental priority sheet attached hereto.

私は、合衆国法典第35部第119条(e)項に基づく、下記の合衆国仮特許出願の利益を主張する。

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.

(Number)  
(番号)

(Day/Month/Year Filed)  
出願の年月日

(Number)  
(番号)

(Day/Month/Year Filed)  
出願の年月日

(Number)  
(番号)

(Day/Month/Year Filed)  
出願の年月日

☐ その他の合衆国仮特許出願番号は別紙の追補優先権欄にて記載する。

☐ Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.

私は、合衆国法典第35部第120条に基づく下記の合衆国特許出願、又は第365条(c)項に基づく合衆国を指名したPCT国際出願の利益を主張し、本出願の請求の範囲各項に記載の主題が合衆国法典第35部第112条第1項規定の様式で、先の合衆国特許出願又はPCT国際出願に開示されていない限度において、先の出願の出願日と本出願の国内出願日又はPCT国際出願日の間に有効となった連邦規則法典第37部第1章第56条に記載の特許要件に所要の情報を開示すべき義務を有することを認める。

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

(Application No.)  
(出願番号)

(Day/Month/Year Filed)  
(出願の年月日)

(現況) (Status)  
(特許済み、係属中、放棄済み) (Patented, pending, abandoned)

(Application No.)  
(出願番号)

(Day/Month/Year Filed)  
(出願の年月日)

(現況) (Status)  
(特許済み、係属中、放棄済み) (Patented, pending, abandoned)

☐ その他の合衆国又は国際特許出願番号は別紙の追補優先権欄にて記載する。

☐ Additional U.S. or international application numbers are listed on a supplemental priority sheet attached hereto.

私は、ここに自己の知識にもとずいて行った陳述がすべて真実であり、自己の有する情報および信ずるところに従って行った陳述が真実であると信じ、さらに故意に虚偽の陳述等を行った場合、合衆国法典第18部第1001条により、罰金もしくは禁錮に処せられるか、またはこれらの刑が併科され、またかかる故意による虚偽による陳述が本願ないし本願に対して付与される特許の有効性を損なうことがあることを認識して、以下の陳述を行ったことを宣言する。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

私、下記署名者は、ここに記載の米国弁護士または代理人に本出願に関し特許商標庁にて取られるいかなる行為に関して、同米国弁護士又は代理人が、私に直接連絡なしに私の外国弁護士或いは法人代表者からの指示を受け取り、それに従うようここに委任する。この指示を出す者が変更の場合には、ここに記載の米国弁護士又は代理人にその旨通知される。

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from either his foreign patent agent or corporate representative, if any, as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.



## Japanese Language Utility or Design Patent Application Declaration

委任状: 私は、下記発明者として、下記に明記された顧客番号を伴う以下の弁護士又は、代理人をここに選任し、本順の手続きを遂行すること並びにこれに関する一切の行為を特許商標庁に対して行うことを委任する。そして全ての通信はこの顧客番号宛に発送される。

顧客番号 7055

現在選任された弁護士は下記の通りである。

Neil F. Greenblum Reg. No. 28,394  
Bruce H. Bernstein Reg. No. 29,027  
Roger P. Glass Reg. No. 30,841  
James L. Rowland Reg. No. 32,674  
Arnold Turk Reg. No. 33,094

Address: **GREENBLUM & BERNSTEIN, P.L.C.**  
1941 ROLAND CLARKE PLACE  
RESTON, VA 20191

POWER OF ATTORNEY: As a named inventor, I hereby appoint the attorney(s) and/or agent(s) associated with the Customer Number provided below to prosecute this application and transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to that Customer Number:



**CUSTOMER NUMBER 7055**

The appointed attorneys presently include:

直接電話連絡先 : (名称および電話番号)

Direct Telephone Calls to: (name and telephone number)

**GREENBLUM & BERNSTEIN, P.L.C.**  
(703)716-1191

唯一のまたは第一の発明者の氏名	Full name of sole or first inventor <b>Yoshihiro IDA</b>
同発明者の署名 日付	Inventor's signature Date  1999.6.9
住所	Residence <b>Iwatsuki-shi, Saitama, Japan</b>
国籍	Citizenship <b>Japan</b>
郵便の宛先	Post Office Address <b>151, Minamihirano, Iwatsuki-shi, Saitama 339-0051 Japan</b>
第2の共同発明者の氏名(該当する場合)	Full name of second joint inventor, if any <b>Tatsuo BANDO</b>
同第2共同発明者の署名 日付	Second Inventor's signature Date  1999.6.3
住所	Residence <b>Musashino-shi, Tokyo, Japan</b>
国籍	Citizenship
郵便の宛先	Post Office Address <b>2-20-4, Nishikubo, Musashino-shi, Tokyo 180-0013 Japan</b>

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)